	Application No.	Applicant(s)
Notice of Allowability	Application No.	Applicant(s)
	10/716,307	YERIAN ET AL.
	Examiner	Art Unit
	Maria Veronica D. Ewald	1722
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>10/13/06</u> .		
2.  The allowed claim(s) is/are <u>7,9-25,30-32</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) 🗵 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🖾 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	' '
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail Da 7. ⊠ Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
S. Diological Material	9.	

Application/Control Number: 10/716,307

Art Unit: 1722

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Atty. Michael W. Garvey on December 12, 2006. The application has been amended as follows:

Claims 26 – 27 have been cancelled. In addition, Claim 29 has also been cancelled.

Furthermore, Claim 7 has been amended as follows: in line 10, after "tubes", the following is inserted: -- wherein the first and second heated tubes are disposed so that the powdered material moves through the second tube in a direction generally opposite to a direction in which the powdered material moves through the first tube --.

Claims 7, 9 – 25 and 30 – 32 are allowed. The following is an examiner's statement of reasons for allowance: The closest prior art reference of Hay (U.S. 5,802,961) fails to teach a powder pre-heating apparatus in which the powder moves in a direction in the second heated tube, opposite to the direction in which the powdered material moves through the first tube. With regards to the reference of Hay, Hay teaches a first tube having an auger screw for moving powdered material through the first tube; means for heating the first tube such that the powdered material moving through the first tube is heated to a predetermined temperature without melting the

Application/Control Number: 10/716,307

Art Unit: 1722

powdered material, the means for heating being coupled to an outer portion of the first heated tube; a hopper coupled to the first heated tube and staged for dispensing the heated powdered material; and having a second heated tube coupled to the first heated tube to facilitate recirculating the powdered material between the first and second heated tubes. The powder material leaving the second tube of Hay becomes recycled or recirculated through the system via inlet line 214; however, the direction of movement of the powder in the second tube and first tube are the same.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## **Drawings**

The drawings filed on November 18, 2003 are acceptable subject to correction of the informalities indicated on the attached "Notice of Draftsperson's Patent Drawing Review," PTO-948. In order to avoid abandonment of this application, correction is required in reply to the Office action. The correction will not be held in abeyance.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maria Veronica D. Ewald whose telephone number is 571-272-8519. The examiner can normally be reached on M-F, 8 - 4:30.

Application/Control Number: 10/716,307

Art Unit: 1722

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra Gupta can be reached on 571-272-1316. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

**MVE** 

YUGENDRA N. GUPT.
SUPERVISORY PATENT EXAMINED
TECHNOLOGY CENTER 17.